CERTIFICATES OF COMPETENCY FOR ENGINEERS (YACHT)

EXAMINATIONS ADMINISTERED BY THE SCOTTISH QUALIFICATIONS AUTHORITY ON BEHALF OF THE MARITIME AND COASTGUARD AGENCY

STCW 95 CHIEF ENGINEER (REG. III/3) – "YACHT 4"

057-02 OPERATIONAL PROCEDURES, BASIC HOTEL SERVICES AND SHIP CONSTRUCTION

FRIDAY, 15 FEBRUARY 2008

1400 - 1600 hrs

Examination paper inserts:
Notes for the guidance of candidates:
Non-programmable calculators may be used.
All formulae used must be stated and the method of working and ALL intermediate steps must be made clear in the answer.
Materials to be supplied by examination centres
Candidate's examination workbook

OPERATIONAL PROCEDURES AND BASIC HOTEL SERVICES

Attempt ALL questions

Marks for each question are shown in brackets

 Co-operate with anyone else carrying out health and safety duties Report any identified hazards immediately to authorized personal Make proper use of plant and machinery, and treat any hazard to health and safety with due caution With reference to watchkeeping duties: 	
(a) list the documentation to be referred to for details of watchkeeping duties and	
responsibilities;	(3)
The vessels Standing Orders	
• Log Book Updates	(2)
Engine room Status Board GEORGE And Status Board	(5)
• STCW 95 regulations	(5)
 SMS safety management system (b) state TWO cases in which a watch should not be handed over to a relieving engineer; 	
 (b) state TWO cases in which a watch should not be handed over to a relieving engineer; If the relieving watch standard is deemed unfit to carry out watch duties 	
effectively	
A transfer of bunkers is underway	
(c) list FIVE alarms which should be tested on a regular basis.	
1. High Bilge Level Alarm	
2. Fire Alarms	
3. Smoke Detectors	
4. Low Lube Oil Pressure	
5. Steering Gear Power Unit Failure Alarm	
6. Day low and high Tank Level	
7. High jacket water temperature	
3. With reference to maintenance and maintenance systems:	
 state SIX reasons for keeping records; 	(6)
1. To improve efficiency of the vessels operation	` ′
2. To reduce downtime	(4)
3. To reduce cost	
4. To improve safety at sea	
5. To reduce freight costs for shipping of spares	
6. To allow for financial pre-planning to pay for spare parts	
1. explain the advantages of an approved maintenance system.	

An approved maintenance system will allow the vessel to function reliablely and to meet

the requirements of a classifation society

	Space Operations;	
3.4.5.6.7.8.9.	Ballasting or Cleaning of Oil Fuel Tanks Discharge of Dirty Water or Ballasting Water from Oil Fuel Tanks Referred to above Collection and Disposal of Oily Sludge Non-automatic Discharge Overboard or Disposal otherwise of water which has collected in the machinery spaces Automatic Discharge Overboard or Disposal otherwise of water collected in the machinery spaces Condition of oil discharge monitoring equipment and control systems Accidental or exceptional discharge of oil Bunkering of fuel lubricating oil Additional Operational Procedures or Remarks	
	state the size of vessel which have to carry an Oil Record Book. Vessels over 80GRT must carry a Oil Record Book	
	Vessel over 400GRT must carry a Oil Record Book	
•	Tanks/Noxious Chemical Tanks over 150GRT must carry an Oil Record Book	
(a) Anı	State the MARPOL Annex number which deals with the disposal of sewage. nex 4	
	With reference to the Annex stated in Q5(a), state the rules for EACH of the following:	
	(i) when the sewage is untreated;	
	12miles offshore and underway 4knots (ii) when the sewage is comminuted and disinfected. Between 4 and 12miles, underway 4knots	
(c)		
	reduce any harmful bacteria that may still be present in the effluent	
(d)	Explain how chlorination is carried out and monitored. orine is injected to the discharge via discharge pump. Sample 2 meters from injection at using a recognized chlorine test strip.	

4.

With reference to Oil Record Books carried on yachts:

		(6)
		(3)
		(1)
8.	Sketch a passive tank stabilisation system, explaining how it works. Page 140 of notes 343	(10)
9.	With reference to LPG installations:	
	(a) explain the risks associated with its use;	(4)
	LPG is a dense gas, heavier than air. A leak in the system can find it's way to the lowest part of a ships structure. The gas sulphur smell added to the composition to help human detection. Unfortunately, when a human senses the presence it is often too late. A leak	(2)
	sniffer should equipped with it's use. There is a high risk of explosion with it's use due to it's density properties. A bubble tester should be installed inline to allow the observations	(4)
	of gas flow. (b) state where the cylinders should be stowed; The cylinder should be stowed in an outdoor container with a 'drain' fitted to the storage container. This drain should direct the flow of any gas leakage over the side of the vessel, in a manner such that the leakage will not make it's way back to the storage container or inside the vessel	
	(c) state the safety device which must be fitted in a compartment containing an LPG burning device, describing its position in the compartment.Sniffer alarm and a bubble tester	
10.	(a) State the meaning of EACH of the following terms in relation to a vessel's size:	
	(i) Gross Tonnage;	(2)
	Total Internal Volume - Exceptions (ii) Net Tonnage;	(1)
	Volume of Cargo that can be carried (iii) Lightweight;	(2)
	Measures the actual weight of a ship with no fuel, cargo, passagers, or stores but with machinery	(2)
	(iv) Deadweight; Carrying Capacity + Fuel + Crew + Machinery	(2)
	(v) Displacement. Mass of water the vessel displaces	(1)

(b) State the relationship between Lightweight, Deadweight and Displacement.

Displacement is the total weight less the light weight and dead weight